7399-2:JVD:210502/ Group Art Unit 3635

connect corridor modules 2 to cabin modules 1. The open access chamber 23 of the housing 22

allows the fixing arrangement 21 to be easily inserted or removed.

IN THE CLAIMS

For the sake of clarity, Applicant uses the same claim numbers as the Examiner.

Please cancel claims 37-42 without prejudice to their consideration in a continuing

application.

Please amend claims 22 through 36 as follows:

22. (Once Amended) A modular building structure comprising: a service module

defining a plurality of connection openings, a plurality of building modules each having a first

end with an opening, said first end of each building module being connected to the service

module at a respective connection opening such that the opening of the building module is in

communication with the connection opening of the service module, the service module

containing apparatus for the supply and distribution of at least one mains service to the building

modules, each building module being free-standing, and being connected to said supply of at

least one mains service, wherein the service module is in the form of a corridor walkway linking

the building modules.

23. (Once Amended) A modular building structure according to claim 22, wherein each

module is an open-ended box configuration.

AMENDMENT AND RESPONSE TO

7399-2:JVD:210502/ Group Art Unit 3635

30. (Once Amended) A modular building structure according to claim 22, wherein the

mains service supply is air conditioning and each service module is fitted with a heat exchanger

and has an external pump for evacuation of warm air.

31. (Once Amended) A modular building structure according to claim 30, wherein each

building module also has its own heat exchanger that is connected to the pump and heat

exchanger of an adjacent service module.

32. (Once Amended) A modular building structure according to claim 22, wherein each

adjoining pair of building modules or service modules has apparatus for connecting adjacent

modules, the apparatus comprising a housing defining apertures that extend into the structure of

each module and a flexible resilient insert that is snugly received in each aperture and bridges the

two modules, the insert being supported on a fixing element that is secured to each of the

modules.

33. (Once Amended) A modular building structure according to claim 22, comprising

multiple storeys, vertically adjacent modules being connected by a connecting member

comprising a resilient flexible insert attached to one module and received in an aperture of the

vertically adjacent module.

34. (Once Amended) A modular building structure according to claim 22, wherein the

modules are connected.

AMENDMENT AND RESPONSE TO

7399-2:JVD:210502/ Group Art Unit 3635

35. (Once Amended) A method for constructing a modular building structure, the

method comprising; preparing a site on which the building structure is to be located; installing a

service module on the prepared site, the service module defining a plurality of connection

openings each for connection to a respective separate building modules; each building module

having a first end with an opening therein; installing at least one mains supply service to the

service module; connecting at least one pre-constructed building module to the service module at

a connection opening therein such that the connection opening is in communication with said

opening in said first end; connecting the building module to the mains supply service of the

service module; and furnishing the service module such that it is in the form of a corridor

walkway linking the building modules.

36. (Once Amended) A method according to claim 38, comprising further steps of filling

a clearance between the module and ground.

Please enter new claims 43-48 as follows:

--43. (New) A modular building structure comprising: first and second adjacent building

modules, each with apertures that extend into the structure of the building modules, a first fixing

member attached to said first building module and extending into its aperture and a second fixing

member attached to said second building module and extending into its aperture, and a flexible

resilient insert interconnecting said fixing members and bridging the building modules.

AMENDMENT AND RESPONSE TO FIRST OFFICE ACTION